----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

Total 1	999 Populat	N ESTIMATES tion Est	50,320	CAI (Cancer ir				Activities Reported		Per
Perce:	nt Female		50.3	Primary Site			Number	Public Health Nursing		
Populat	ion per squ	are mile	67					Total clients	73	14
Rank	in state		25	Breast			42	Total visits	306	61
(1=h	ighest popu	ılation den	sity,	Cervical			7 İ	Visits: Reason for		į
72=1	owest popul	lation dens	sity.)	Colorectal			28	Gen hlth promotion		.
				Trachea, Bro	nchus, I	ung	42	Infant/child hlth		i i
Age	Female	Male	Total	Prostate			45	Infectious & parasitic		. i
0-14	4,940	5,240	10,180	Other sites			127	Circulatory		.
15-19	1,840	1,980	3,820	Total			291	Prenatal		.
20-24	1,560	1,520	3,080				į	Postpartum		. i
25-29	1,350	1,350	2,710	LC	NG-TERM	CARE -	(
30-34	1,500	1,460	2,960				Ί	WIC Participants	1,394	277
35-39	1,980	2,100	4,080	Community Opt	ions and	MA Wa	aiver		,	i
40-44	2,000	2,100	4,100	Programs				Clinic Visits	13.339	2.648
45-54	3,210			_	# Clien	nts	Costs	Immunization	9.789	1.943
55-64	2,250	2,300	6,530 4,540	COP		8		Immunization Blood pressure	512	102
65-74	1,990	1 860	3 850	MA Waivers *		, 0	Ϋ100,000	biood pressure	312	102
75-84	1,770	1,860 1,330	3,850 3,100	CIP1A		2	\$83,930	Environmental Contacts		}
85+	930		1,370	CIDIR	3	26	\$620,774	Env hazards	15	3
Total	25,320	25,000	50,320	CIPID	J	2	\$22,774	Public health nuisance		24
			'	COP-W	6	59	\$23,681 \$581,728	rubiic meaten muisance	120	24
Age	Female	Male	Total	CSLA Brain In			\$0			J
0-17	5,970		12,380	Brain In	j		\$0			
18-44	9,200	9,340	18,550	Total COP/Wvr	s 12	:7 \$	1,471,111			
45-64	5,460	5,620	11,070							
65+	4,690	3,630	8,320					Health Education]
Total	25,320	25,000	50,320	were paid a				Community sessions		24
				using COP f	unds. I	This an	mount is	Community attendance	3,299	655
		for 1995 a		not include	ed in abo	ve COP	costs.	School sessions School attendance	6	1
include	d in the 19	997 profile	es.					School attendance	108	21
Poverty	statistics	s will be u	ipdated	* Waiver cost	s report	ed her	re Í			İ
after t	he 2000 Cer	nsus.)		include fed	deral fur	nding.	Ì	Staffing - FTEs		ì
								Total staff	19	3.8
	EMPLO	OYMENT					ĺ	Administrators	2	0.3
Average	wage for jo	obs covered	i	Home Health A	Agencies		3	Public health nurses	3	0.5
		mpensation		Home Health A Patients			184	Public health nurses Public health aides	1	0.2
		is based o		Patients per				Environmental specialist		
		place of r			,	r -r -	- 1			
	. ,			Nursing Homes	3		13			
Labor Fo	rce Estimat	tes Annua	al Average	Licensed bed	ls		1,541	LOCAL PUBLIC HEALS	TH FUNDT	ng l
		rce		Licensed bed Occupancy ra	ite		93.8%	(funding data not a		
Number	r employed	- =	24,605	Residents or	12/31/9	8	1,459	(======================================		- /
Number	r unemplove	ed.	839	Residents ac						ŀ
Unem	ployment ra	ate	24,605 839 3.3%	per 1,000	populati	.on	160			

		599	Birth O	rder	Births	Percent	Marital	Status		
			First		238	40	of Moth	er	Births	Percent
Crude Live Birth Rate	2	11.9	Second		191	32	Married		457	76
General Fertility Rat	e	58.5	Third		109	18	Not mar	ried	142	24
-			Fourth (or higher	61	10	Unknown		0	0
Live births with repo	orted		Unknown		0	0				
congenital anomalies	1	. %					Educati	on		
			First P	renatal			of Moth	er	Births	Percent
Delivery Type	Births	Percent	Visit		Births	Percent	Element	ary or less	7	1
/aginal after			1st tri	mester	497	83	Some hi	gh school	71	12
previous cesarean	26	4	2nd tri	mester	74	12	High sc	hool	257	43
'orceps	9	2	3rd tri	mester	18	3	Some co	llege	133	22
ther vaginal	452	75	No visi	ts	8	1		graduate	130	22
rimary cesarean	78	13	Unknown		2	<.5	Unknown		1	<.5
lepeat cesarean	34	6								
ther or unknown	0	0	Number	of Prenatal	L		Smoking	Status		
			Care vi	sits	Births	Percent	of Moth		Births	Percent
Birth Weight	Births	Percent	No visi	ts	8	1	Smoker		143	24
1,500 gm	5	0.8	1-4 v	isits	12	2	Nonsmok	er	456	76
,500-2,499 gm	31	5.2	5-9 v:	isits	153	26	Unknown		0	0
,500+ gm	563	94.0	10-12 v	isits	291	49				
nknown	0	0.0	13+ v:	isits	134	22				
			Unknown							
					1	<.5				
	Total E		Low Birth (under 2,	Weight 500 gm)	lst Tr	Trimest imester	2nd Tr	st Prenatal imester	Other	/Unknown
	Births F	ercent	Low Birth (under 2, Births P	Weight 500 gm) ercent	lst Tr Births	Trimest imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
Thite	Births F	Percent 98	Low Birth (under 2, Births Possible 35	Weight 500 gm)	1st Tr Births 492	Trimest imester	2nd Tr Births	imester	Other, Births	-
Mite Black	Births F 589 2	98 <.5	Low Birth (under 2, Births P	Weight 500 gm) ercent	1st Tr Births 492 *	Trimest imester <u>Percent</u> 84	2nd Tr Births 71	rimester Percent 12	Other, Births	Percent 4
White Black Other	Births F 589 2 8	98 <.5	Low Birth (under 2, Births Possible 35	Weight 500 gm) ercent	1st Tr Births 492	Trimest imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
Mite Black Other	Births F 589 2	98 <.5	Low Birth (under 2, Births Possible 35	Weight 500 gm) ercent	1st Tr Births 492 *	Trimest imester <u>Percent</u> 84	2nd Tr Births 71	rimester Percent 12	Other, Births	Percent 4
Mite Black Other	Births F 589 2 8	98 <.5	Low Birth (under 2, Births Post 35 *	Weight 500 gm) ercent 5.9 .	1st Tr Births 492 *	Trimest imester Percent 84 . 63	2nd Tr Births 71 * 2	imester Percent 12 . 25	Other, Births 26 * 1	Percent 4
White Black Other	Births F 589 2 8 0	98 <.5 1	Low Birth (under 2, Births Post 35 *	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5	Trimest imester Percent 84 . 63 .	2nd Tr Births 71 * 2	imester Percent 12 . 25 . st Prenatal	Other, Births 26 * 1 . Visit	Percent 4 . 13
White Black Other Unknown	Births F 589 2 8 0	ercent 98 <.5 1 0 ertility	Low Birth (under 2, Births Post 35 * Low Birth (under 2,	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5	Trimest imester Percent 84 . 63 . Trimest imester	2nd Tr Births 71 * 2 . er of Fir 2nd Tr	imester Percent 12 . 25 . st Prenatal	Other/Births 26 * 1 . Visit Other/	Percent 4 . 13 .
Race of Mother White Black Other Jinknown	Births F 589 2 8 0	ercent 98 <.5 1 0 ertility Rate	Low Birth (under 2, Births Post 35 *	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5	Trimest imester Percent 84 . 63 .	2nd Tr Births 71 * 2 . er of Fir 2nd Tr	imester Percent 12 . 25 . st Prenatal	Other/Births 26 * 1 . Visit Other/	Percent 4 . 13 .
White Black Other Unknown Age of Mother <15	Births F 589 2 8 0 Fe Births	ercent 98 <.5 1 0 ertility	Low Birth (under 2, Births Possible) 35 * Low Birth (under 2, Births Possible)	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5	Trimest imester Percent 84 63 Trimest imester Percent	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births	imester Percent 12 . 25 . st Prenatal imester Percent .	Other/Births 26 * 1 . Visit Other/Births	Percent 4 . 13 . 'Unknown Percent
Thite Slack Sther Inknown Mage of Mother <15 15-17	Births F 589 2 8 0 Fe Births 0 13	Percent 98 <.5 1 0 Pertility Rate	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births	Trimest imester Percent 84 63 Trimest imester Percent . 38	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6	rimester Percent 12 . 25 . st Prenatal imester Percent . 46	Other/Births 26 * 1 . Visit Other/Births	Percent 4 . 13 . /Unknown Percent . 15
Thite Black Cher Thknown Age of Mother <15 15-17 18-19	Births F 589 2 8 0 Fe Births 0 13 39	Percent 98 <.5 1 0 Pertility Rate 48	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5	Trimest imester Percent 84 . 63 . Trimest imester Percent . 38 69	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9	rimester Percent 12 . 25 . st Prenatal imester Percent . 46 23	Other/Births 26 * 1 . Visit Other/Births . 2 3	Percent 4 . 13 . /Unknown Percent . 15 . 8
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 589 2 8 0 Fe Births 0 13 39 172	98 <.5 1 0 ertility Rate 48 110	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2 10	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5 27 139	Trimest imester Percent 84 63 Trimest imester Percent . 38 69 81	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9 24	rimester Percent 12 . 25 . st Prenatal imester Percent . 46 23 14	Other/Births 26 * 1 . Visit Other/Births . 2 3 9	Percent 4 . 13 . /Unknown Percent . 15 8 5
White Black Other Jnknown Age of Mother <15 15-17 18-19 20-24 25-29	Births F 589 2 8 0 Fe Births 0 13 39 172 165	Percent 98 <.5 1 0 Pertility Rate 48 110 122	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2 10 10	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5 27 139 143	Trimest imester Percent 84 63 Trimest imester Percent 38 69 81 87	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9 24 15	rimester Percent 12 . 25 . st Prenatalimester Percent . 46 23 14 9	Other/Births 26 * 1 . Visit Other/Births . 2 3 9 7	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births F 589 2 8 0 Fe Births 0 13 39 172 165 134	Percent 98 <.5 1 0 Pertility Rate 48 110 122 89	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2 10 10 10 8	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5 27 139 143 119	Trimest imester Percent 84 63 Trimest imester Percent 38 69 81 87 89	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9 24 15 14	rimester Percent 12 . 25 . st Prenatal imester Percent . 46 23 14 9 10	Other/Births 26 * 1 . Visit Other/Births . 2 3 9 7 1	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 589 2 8 0 Fe Births 0 13 39 172 165 134 65	Percent 98 <.5 1 0 Pertility Rate48 110 122 89 33	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2 10 10	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5 27 139 143 119 55	Trimest imester Percent 84 63 Trimest imester Percent 38 69 81 87 89 85	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9 24 15 14 5	rimester Percent 12 . 25 . st Prenatalimester Percent . 46 23 14 9 10 8	Other/Births 26 * 1 . Visit Other/Births . 2 3 9 7 1 5	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 589 2 8 0 Fe Births 0 13 39 172 165 134 65 11	Percent 98 <.5 1 0 Pertility Rate 48 110 122 89 33 .	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2 10 10 10 8	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5 27 139 143 119	Trimest imester Percent 84 . 63 . Trimest imester Percent . 38 69 81 87 89 85 82	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9 24 15 14 5 1	rimester Percent 12 . 25 . st Prenatal imester Percent . 46 23 14 9 10	Other/Births 26 * 1 . Visit Other/Births . 2 3 9 7 1	Percent 4
Thite Black Sther Thknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 589 2 8 0 Fe Births 0 13 39 172 165 134 65	Percent 98 <.5 1 0 Pertility Rate48 110 122 89 33	Low Birth (under 2, Births P 35 * Low Birth (under 2, Births P 1 2 10 10 10 8	Weight 500 gm) ercent 5.9	1st Tr Births 492 * 5 1st Tr Births 5 27 139 143 119 55	Trimest imester Percent 84 63 Trimest imester Percent 38 69 81 87 89 85	2nd Tr Births 71 * 2 . er of Fir 2nd Tr Births . 6 9 24 15 14 5	rimester Percent 12 . 25 . st Prenatalimester Percent . 46 23 14 9 10 8	Other/Births 26 * 1 . Visit Other/Births . 2 3 9 7 1 5	Percent 4

MORBIDITY	MORTALITY	
	Note: Death rates (except infant) are per 100,000 population. Infant,	

Disease	Number
Campylobacter Enteritis	15
Giardiasis	19
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	
Legionnaire's	0
Lyme	12
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussis	0
Salmonellosis	12
Shigellosis	8
Tuberculosis	<5

- * 1999 provisional data
- ** Includes all positive HBsAg test results
- *** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	28
Genital Herpes	11
Gonorrhea	6
Nongonococcal Cervicitis	
Nongonococcal Urethritis	0
Syphilis	

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	11,097
Non-compliant	103
Percent Compliant	99.1

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS 698 Crude Death Rate 1,387

Age	Deaths	Rate
1-4	•	•
5-14	4	
15-19	4	
20-34	12	•
35-54	37	251
55-64	42	924
65-74	128	3,328
75-84	217	7,012
85+	249	18,166

Infant

Mortality	Deaths	Rate
Total Infant	5	
Neonatal	2	
Postneonatal	3	
Unknown		

Race of Mother White

Black .
Other .
Unknown .

Birth Weight

<1,500 gm	2	
1,500-2,499 gm		
2,500+ gm	3	
Unknown		

Perinatal

Deaths	Rate
6	
2	
4	
	6 2 4

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	221	439
Ischemic heart disease		
Cancer (total)	134	266
Trachea/Bronchus/Lung	•	
Colorectal	11	
Female Breast	10	. *
Cerebrovascular Disease	: 69	137
Lower Resp. Disease	•	
Pneumonia & Influenza	28	56
Injuries	31	62
Motor vehicle	18	
Diabetes	17	
Infectious & Parasitic	2	
Suicide	5	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	14	
Other Drugs	10	
Both Mentioned	1	

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	534	11
Alcohol-Related	81	2
With Citation:		
For OWI	14	0
For Speeding	29	0
Motorcyclist	25	2
Bicyclist	4	0
Pedestrian	16	0

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related	I. All					Alcohol-Relate	ad.				
Total	446	8.9	4.0	\$9,174	\$81	Total	139	2.8	4.7	\$3,531	\$10
<18	41	3.3	2.6	\$7,938	\$26	18-44	89	4.8	4.4	\$2,827	\$14
18-44	107	5.8	4.0	\$10,050	\$20 \$58	45-64	34	3.1	4.4	\$2,627	\$14
45-64	82	7.4	3.7	\$8,648	\$64	Pneumonia and		3.1	4.5	\$3,000	ŞII
45-04 65+					•	1		<i>c</i> 0	4 0	åF 000	425
	216	26.0	4.3	\$9,173	\$238	Total	304	6.0	4.0	\$5,800	\$35
Injury: Hip		1 6	4.2	å0 100	ė1 <i>1</i>	<18	37	3.0	2.4	\$3,058	\$9
Total	78	1.6	4.3	\$9,180	\$14	45-64	41	3.7	3.8	\$6,336	\$23
65+	. 74	8.9	4.3	\$9,324	\$83	65+	207	24.9	4.4	\$4	\$0
Injury: Pois	_					Cerebrovascula					4.00
Total	23	0.5	1.7	\$2,740	\$1	Total	173	3.4	3.9	\$8,089	\$28
18-44	13		•	•	•	45-64	28	2.5		\$12,198	\$31
						65+	142	17.1	3.8	\$7,189	\$123
Psychiatric						Chronic Obstru	ctive Pulm	onary I	Disease		
Total	277	5.5	9.2	\$5,672	\$31	Total	109	2.2	3.2	\$4,834	\$10
<18	64	5.2	13.3	\$7,528	\$39	<18	11				•
18-44	124	6.7	7.0	\$4,280	\$29	18-44	8	•			
45-64	45	4.1	11.4	\$6,899	\$28	45-64	22	2.0	2.9	\$4,303	\$9
65+ 44	5.3	7.4	\$5,641	\$30	65+	68	8.2	3.4	\$5,097	\$42	
			, ,	•	Drug-Related					•	
Coronary Heart Disease				Total	22	0.4	13.0	\$6,979	\$3		
Total	357	7.1	3.7	\$14,797	\$105	18-44	12			70/2/2	
45-64	106	9.6		\$17,438	\$167	15 11		•	•	•	•
65+	239	28.8		\$13,220	\$380	Total Hospital	izations				
051	237	20.0	3.0	ΫΙΟ, ΖΖΟ	φ300	Total	5,845	116.2	3.9	\$7,063	\$820
Malignant Neop	lagmg (Ca	ncera).	- Δ11			<18	937	75.7	3.1	\$3,237	\$245
Total	249	4.9		\$12,199	\$60	18-44	1,438	77.5	3.2	\$4,974	\$386
18-44	249	1.2		\$13,191	\$16	45-64	980	88.5	4.2	\$9,558	\$846
45-64	63	5.7		\$16,111	\$10 \$92	65+	2,490	299.6	4.4	\$8,726	\$2,614
						65+	2,490	299.0	4.4	ŞO,720	\$2,014
65+	160	19.2		\$10,351	\$199	<u> </u>					
Neoplasms: F		-				F		-	-		
Total	28	1.1	2.5	\$7,069	\$8	Total	818	16.3	3.6	\$5,390	\$88
Neoplasms: C				+10 500	+10	<18	71	5.7	2.0	\$2,302	\$13
Total	37	0.7		\$13,509	\$10	18-44	75	4.0	2.8	\$4,503	\$18
65+	29	3.5	7.3	\$13,522	\$47	45-64	137	12.4	3.2	\$5,309	\$66
Neoplasms: L			_			65+	535	64.4	4.1	\$5,945	\$383
Total	27	0.5	5.7	\$10,416	\$6	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization					
Diabetes			_			The definition of preventable hospitalizations in 1999					
Total	58	1.2	3.7	\$6,627	\$8	is consistent with the 1997 definition.					
65+	19	•	٠	•	٠	Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					